## Statements, Proofs, and Contradiction

**Robert Y. Lewis** 

CS 0220 2024

January 26, 2024

Propositions (1.1)

Predicates (1.2)

#### Overview

1 Propositions (1.1)

2 Predicates (1.2)

# What's a proposition?

Definition. A proposition is a statement that is either true or false.

- Proposition 1: 2 + 3 = 5.
- Proposition 2: 1 + 1 = 3.
- Proposition 3: The sum of any two odd numbers is even.
- Proposition 4: The product of any two odd numbers is even.

We'll stick with mathematical propositions in this class.

- Proposition 5: Rob has a beautiful singing voice.
- Proposition? 6: Every action has an equal but opposite reaction.
- Not-a-Proposition 7: How many students are in this class?

#### How can we tell if a proposition is true?

Definition: A *perfect square* is a number that can be written  $n^2$  for some integer *n*.

- Proposition 8: There is a two-digit perfect square whose final digit is 4. True. An example is 8<sup>2</sup> = 64.
- Proposition 9: There is a two-digit perfect square whose final digit is 8.
   False. I can't show you an example, because there is no such example.
   I could list *all* the two digit perfect squares, though: 16, 25, 36, 49, 64, 81. All other perfect squares are either shorter or longer. None end in 8.

#### Proposition about numbers

Definition: A *perfect square* is a number that can be written  $n^2$  for some integer *n*.

- Proposition 10: There is perfect square whose final digit is 4.
   True. We showed it for two-digit perfect squares, so that's still true when we broaden the set of possibilities.
- Proposition 11: There is a perfect square whose final digit is 8.
   False. The approach of exhaustively listing the possibilities to show it is false doesn't work this time. We'll need another technique.

# Final digits of perfect squares

Define  $p(n) ::= n^2 \mod 10$ , the remainder we get if we take *n*, square it, and divide by 10. It's the last digit of the square.

p(0) = 0p(1) = 1p(2) = 4p(3) = 9p(4) = 6p(5) = 5p(6) = 6p(7) = 9p(8) = 4p(9) = 1p(10) = 0p(11) = 1repeating? (Save for later.)

# Is this proposition true?

Definition: A *prime* is an integer greater than one that is not divisible by any other integer greater than 1.

```
Example: 2, 3, 5, 7, 11, 13, 17, ....
```

■ Proposition 12: For every nonnegative integer, *n*, the value of  $n^2 + n + 41$  is prime.

```
Define p(n) ::= n^2 + n + 41.

p(0) = 41, which is prime.

p(1) = 43, which is prime.

p(2) = 47, which is prime.

...

p(10) = 151, which is prime.

Looking good!

p(40) = 1681 = 41^2, not prime. So, no. Counterexample. Short proof (but hard to find).
```

#### Aside

The book says: There is no non-constant polynomial p(n) with nonnegative integer coefficients that generates only primes.

Suppose there were such a polynomial *p*.

Let *m* be the constant coefficient of *p* (that's not multiplied by a power of *n*). Since m = p(0) and p(0) is prime, *m* must be prime. In particular it can't be 0 or 1. Now, consider p(m). All of the terms of p(m) are divisible by *m*, so p(m) is as well. Since the polynomial is not constant, and coefficients are nonnegative, p(m) > m. So p(m) is divisible by a number other than 1 or itself, so it is not prime: a contradiction.

For our example  $p(n) ::= n^2 + n + 41$ ,  $p(41) = 1763 = 43 \times 41$ .

## Some useful notation

- $\mathbb{Z}$  is the integers {..., -4, -3, -2, 1, 0, 1, 2, 3, 4, ...}.
- **\blacksquare**  $\mathbb{Z}^+$  is the positive integers  $\{1, 2, 3, 4, \ldots\}$ .
- $\mathbb{N}$  is the non-negative integers  $\{0, 1, 2, 3, 4, \ldots\}$ .
- ∀ means "for all." It's an upside down A.
- ∃ means "exists." It's a backwards E. (Or is it?)
- Examples:
  - $\exists n : \mathbb{N}, n^2 \mod 10 = 6.$

Can show exists is true with an example (n = 6).

 $\forall n : \mathbb{N}, n^2 + n + 41$  is prime.

Can show forall is false with a counterexample (n = 40).

Sometimes we write these as  $\exists n \in \mathbb{N}$  and  $\forall n \in \mathbb{N}$ .

# Toughies

- Proposition 13 (Euler's conjecture): a<sup>4</sup> + b<sup>4</sup> + c<sup>4</sup> = d<sup>4</sup> has no solution when a, b, c, and d are positive integers.
  ∀a : Z<sup>+</sup>, ∀b : Z<sup>+</sup>, ∀c : Z<sup>+</sup>, ∀d Z<sup>+</sup>, a<sup>4</sup> + b<sup>4</sup> + c<sup>4</sup> ≠ d<sup>4</sup>.
  ∀a b c d : Z<sup>+</sup>, a<sup>4</sup> + b<sup>4</sup> + c<sup>4</sup> ≠ d<sup>4</sup>.
  No! a = 95800, b = 217519, c = 414560, d = 422481. (Took 200+ years to resolve.)
- Proposition 14:  $313(x^3 + y^3) = z^3$  has no solution when  $x, y, z \in \mathbb{Z}^+$ . Also, no; but, shortest counterexample is 1000+ digits long.
- Proposition 15: Every map can be colored with 4 colors so that adjacent regions have different colors.
  Yes, and the new of isomerse place.

Yes, and the proof is very very long.

 Proposition 13 (Goldbach's conjecture): Every even integer greater than 2 is the sum of two primes.
 Remains unresolved since 1742.

#### Who decides "truth"?

- We defined "prime number"
  - And "integer," and "divisible," and "1," ...
- The goal of mathematics is "common knowledge": give anyone the definitions, and a proof or counterexample, and they can check it. Even a computer could do it.
- This is why we're focusing on *mathematical* propositions here. Truth in the real world is a little complicated.

## What's a Predicate?

A *predicate* is a proposition whose truth depends on the value of one or more variables. Examples:

■ *n* is odd.

True for n = 25, false for n = 98.

- The sum of two numbers a and b is prime. True for a = 3 and b = 4. False for a = 4 and b = 6.
- *x* is an integer and 2*x* is even. True for all integers *x*.

## Predicates to propositions

Predicate notation:  $P(n) ::= "n ext{ is a perfect square"}.$  $P(16) ext{ is true and } P(10) ext{ is false}.$ 

If P(n) is a predicate, then:

- P(22) is a proposition.
- $\forall n, P(n)$  is a proposition.
- $\exists n, P(n)$  is a proposition.
- P(n+1) is a predicate.
- P(n) + 1 is a type error.